

Nr.	Name	Ort für 1900.0		Präzession 1900		Kartenort		Farbe	Spekt.	Größe	
		AR.	Dekl.	AR.	Dekl.	AR.	Dekl.			Max.	Min.
401	UU Aurigae	6 ^h 29 ^m 40 ^s	+38° 31'6"	+4 ^s .13	-0'.04	6 ^h 26 ^m 35 ^s	+38° 33'4"	8.3	N	5 ^m .4	6 ^m .0
402	U Lyncis	31 51	+59 57.4	+5.36	-0.05	27 50	+59 59.3	—	—	9.0 (ph)	< 12 (ph)
403	R Monocerotis	33 42	+ 8 49.5	+3.28	-0.05	31 15	+ 8 51.6	—	—	10	< 13:
404	SY Geminorum	34 9	+31 16.9	+3.87	-0.05	31 15	+31 19.0	—	—	9.5	< 13
405	AB Carinae	34 23	-55 46.7	+1.13	-0.05	33 55	-55 45.5	—	—	9.5 (ph)	10.5 (ph)
406	S Lyncis	35 56	+58 0.5	+5.19	-0.05	32 3	+58 2.8	3.3	Md 7	9.2	< 13.5
407	RV Puppis	39 21	-42 16.6	+1.88	-0.06	38 34	-42 15.2	—	Md 4	9.1 (ph)	< 11.5 (ph)
408	V Canis maj.	39 44	-31 41.2	+2.26	-0.06	38 48	-31 39.8	—	—	10.0 (ph)	< 12 (ph)
409	X Geminorum	40 43	+30 23.0	+3.84	-0.06	37 50	+30 25.5	—	Md	8.4	12.8
410	RT Geminorum	40 43	+18 43.2	+3.52	-0.06	38 5	+18 45.7	—	—	9	< 13
411	RX Geminorum	6 43 38	+33 21.2	+3.94	-0.06	6 40 41	+33 23.9	—	A	8.6	10.7
412	W Monocerotis	47 30	- 7 1.6	+2.91	-0.07	45 19	- 6 58.6	9:	—	9	12
413	RU Monocerotis	49 22	- 7 28.3	+2.90	-0.07	47 12	- 7 25.1	—	A	9.8	10.3
414	UW Aurigae	50 16	+41 14.8	+4.22	-0.07	47 6	+41 18.0	4.5	N	9.6 (ph)	12.6 (ph)
415	Y Monocerotis	51 19	+11 22.4	+3.33	-0.07	48 49	+11 25.6	4	Md 5	8.9	13.0
416	X Monocerotis	52 25	- 8 55.9	+2.87	-0.08	50 16	- 8 52.6	—	Md 4	7.1	9.0
417	X Canis maj.	52 36	-23 50.0	+2.50	-0.08	51 34	-23 48.1	—	Md 7	8.9 (ph)	10.1 (ph)
418	RV Monocerotis	53 0	+ 6 18.0	+3.22	-0.08	50 35	+ 6 21.4	8	N	7	8.2
419	R Lyncis	53 3	+55 28.1	+4.96	-0.08	49 19	+55 31.4	5.8	Md 1	6.5—8.5	12.5—14.0
420	SW Geminorum	53 20	+26 10.8	+3.71	-0.08	50 32	+26 14.2	—	—	9.2	10.6
421	RS Geminorum	6 55 14	+30 39.8	+3.84	-0.08	6 52 21	+30 43.3	4:	—	9.5	10.9
422	T Volantis	57 47	-66 59.0	+0.03	-0.08	57 46	-66 57.0	—	Md	9.1 (ph)	14.1 (ph)
423	ζ Geminorum	58 11	+20 43.0	+3.56	-0.08	55 30	+20 46.7	4.5	Go	3.7	4.3
424	TW Geminorum	7 1 17	+22 39.8	+3.61	-0.09	58 35	+22 43.7	—	—	8.0	9.4
425	R Geminorum	1 20	+22 51.5	+3.62	-0.09	58 37	+22 55.4	8.5	Md 3	6.5—7.6	12.5—13.5
426	V Canis min.	1 31	+ 9 1.9	+3.28	-0.09	59 4	+ 9 5.8	4:	Md 9	8.8	13.6
427	Z Geminorum	1 36	+22 41.0	+3.61	-0.09	58 53	+22 44.9	—	—	9.5:	11.7:
428	RY Monocerotis	2 6	- 7 24.2	+2.91	-0.09	59 55	- 7 20.2	9	—	7.7	9.1:
429	RS Monocerotis	2 10	+ 5 8.5	+3.19	-0.09	59 47	+ 5 12.5	4	—	9.2	< 10
430	R Canis min.	3 13	+10 10.9	+3.30	-0.09	7 0 44	+10 14.9	8.7	Md 1	7.6	10.2
431	W Canis maj.	7 3 23	-11 46.0	+2.80	-0.09	7 1 17	-11 41.9	8	N	8.3 (ph)	10.0 (ph)
432	SS Camelopardalis	4 10	+73 30.1	+7.41	-0.09	6 58 35	+73 34.0	—	—	9.1	10.0
433	TZ Aurigae	4 38	+40 56.5	+4.19	-0.09	7 1 29	+41 0.5	0:	—	11.2	12.4
434	AC Carinae	5 8	-58 13.4	+1.00	-0.09	4 43	-58 11.1	—	—	8.2 (ph)	9.3 (ph)
435	S Canis maj.	5 43	-32 45.9	+2.25	-0.09	4 46	-32 43.6	—	A 5 F	9.0	9.7
436	R Volantis	7 26	-72 51.3	-1.07	-0.10	7 53	-72 48.9	9.8	Md ?	8.3—9.0	12
437	L ₂ Puppis	10 29	-44 28.7	+1.82	-0.10	9 43	-44 26.2	9	Md 6	3.4—4.6	5.8—6.2
438	RU Camelopardalis	10 54	+69 51.2	+6.54	-0.10	5 59	+69 55.6	—	—	8.0	9.1
439	RV Geminorum	11 56	+24 6.1	+3.64	-0.10	9 12	+24 10.6	—	—	10	< 13.5
440	RR Monocerotis	12 21	+ 1 16.5	+3.10	-0.10	10 2	+ 1 21.1	5.5	Md 9	9.3	< 13.5
441	R Canis maj.	7 14 56	-16 12.4	+2.70	-0.11	7 12 55	-16 7.7	0	F	5.8	6.4
442	RR Geminorum	15 11	+31 4.2	+3.84	-0.11	12 18	+31 8.9	2	F 5?	9.9	10.6
443	T Canis maj.	17 18	-25 15.5	+2.48	-0.11	16 16	-25 12.8	—	—	8.7	11
444	V Geminorum	17 33	+13 17.6	+3.37	-0.11	15 1	+13 22.5	5.5:	Md 5	8.6	14.0
445	Y Lyncis	20 55	+46 11.5	+4.38	-0.12	17 38	+46 16.6	8	Mc	7.8	8.4
446	RU Geminorum	21 3	+21 38.1	+3.57	-0.12	18 22	+21 43.2	—	—	11:	13:
447	VX Aurigae	21 35	+41 10.4	+4.17	-0.12	18 27	+41 15.5	—	—	9.5 (ph)	12.5 (ph)
448	RY Geminorum	21 42	+15 51.7	+3.43	-0.12	19 7	+15 56.8	—	A	8.9	< 10:
449	RX Monocerotis	24 18	- 4 3.9	+2.98	-0.12	22 4	- 3 58.6	—	Md 3	9.5 (ph)	< 12.5 (ph)
450	U Monocerotis	26 1	- 9 34.0	+2.86	-0.12	23 52	- 9 28.6	4.5:	K	6.2	7.0