

Nr.	Name	Ort für 1900.0		Präzession 1900		Kartenort		Farbe	Spekt.	Größe	
		AR.	Dekl.	AR.	Dekl.	AR.	Dekl.			Max.	Min.
451	S Canis min.	7 <sup>h</sup> 27 <sup>m</sup> 18 <sup>s</sup>	+ 8° 31.9	+3.526	-0.12	7 <sup>h</sup> 24 <sup>m</sup> 51 <sup>s</sup>	+ 8° 37.4	7.5	Md 8	7.7	11.9
452	Y Camelopardalis	27 46	+76 17.9	+8.16	-0.12	21 37	+76 23.3	—	—	9.7	11.8
453	Z Puppis	28 17	-20 26.7	+2.61	-0.13	26 19	-20 21.1	8.5	Md 3	8.0	< 11.5
454	X Puppis	28 26	-20 41.7	+2.60	-0.13	26 29	-20 36.1	6.5	G 5	8.0	9.0
455	T Canis min.	28 27	+11 57.1	+3.33	-0.13	25 57	+12 2.7	4:	Md 6	9.5	< 13.5
456	TX Geminorum	30 16	+17 7.7	+3.45	-0.13	27 41	+17 13.4	—	A	10.0	11.9
457	S Volantis	31 29	-73 9.9	-1.00	-0.13	31 54	-73 6.6	8	—	9.0	< 11.8
458	ST Geminorum	32 40	+34 42.5	+3.92	-0.13	29 43	+34 48.4	—	—	9.0 (ph)	< 11.5 (ph)
459	Y Geminorum	35 16	+20 39.6	+3.53	-0.13	32 37	+20 45.6	—	—	8.5:	9.2:
460	U Canis min.	35 55	+ 8 36.7	+3.26	-0.14	33 28	+ 8 42.8	8.0	Mb	8.5	13.0
461	S Geminorum	7 37 3	+23 41.1	+3.61	-0.14	7 34 20	+23 47.2	7	Md 6	8.8	< 13.5
462	W Puppis	42 39	-41 57.1	+1.99	-0.14	41 49	-41 53.5	—	Md 3	8.0	11.2
463	T Geminorum	43 18	+23 59.0	+3.61	-0.15	40 36	+24 5.5	7	Md 2	8.5	13
464	W Canis min.	43 27	+ 5 38.5	+3.19	-0.15	41 3	+ 5 45.0	—	N	9.8 (ph)	11.3 (ph)
465	RR Puppis	43 31	-41 7.9	+2.02	-0.15	42 41	-41 4.2	—	A?	9.5	10.7
466	S Puppis	43 50	-47 52.0	+1.74	-0.15	43 6	-47 48.3	—	—	7.2:	9:
467	SZ Geminorum	48 0	+19 33.2	+3.50	-0.15	45 22	+19 39.9	—	—	9.5 (ph)	11.2 (ph)
468	U Geminorum	49 10	+22 15.9	+3.56	-0.15	46 30	+22 22.7	0	F?	9.5 ±	13.5
469	V Puppis	55 22	-48 58.4	+1.73	-0.16	54 39	-48 54.4	5:	B 1	4.1	4.6—4.8
470	U Puppis	56 10	-12 34.0	+2.81	-0.16	54 3	-12 26.7	7.0	Md 6	8.5	< 13.5
471	Y Cancri	7 58 37	+20 24.7	+3.50	-0.17	7 56 0	+20 32.1	—	—	12 (ph)	14 (ph)
472	RZ Ursae maj.	8 1 45	+65 30.2	+5.60	-0.17	57 32	+65 37.7	—	—	8.5—9.3	9.0—9.9
473	RT Puppis	1 45	-38 29.5	+2.16	-0.17	8 0 51	-38 25.2	—	N	9.3 (ph)	10.2 (ph)
474	RU Puppis	3 10	-22 37.4	+2.59	-0.17	1 14	-22 29.8	—	N	9.4 (ph)	11.6 (ph)
475	SU Ursae maj.	3 22	+62 54	+5.31	-0.17	7 59 22	+63 2	—	—	11.5 (ph)	< 12.5 (ph)
476	RV Cancri	3 53	+19 44.0	+3.48	-0.17	8 1 16	+19 51.7	—	—	9.7	12
477	RT Monocerotis	3 58	-10 29.9	+2.86	-0.17	1 49	-10 22.2	6:	—	8.5	9.3
478	RR Cancri	5 7	+23 26.6	+3.57	-0.17	2 26	+23 34.4	5	—	10 (ph)	< 12 (ph)
479	RX Cancri	8 44	+25 2.3	+3.60	-0.18	6 2	+25 10.2	7:	Mc	8.8	9.9
480	Y Puppis	8 50	-34 50.5	+2.29	-0.18	7 53	-34 46.1	6:	—	8.2	10.0
481	RS Puppis	8 9 14	-34 16.6	+2.30	-0.18	8 8 17	-34 12.1	7	K	6.8	8.5
482	W Lyncis	10 5	+40 26.3	+4.03	-0.18	7 3	+40 34.3	—	—	10.5 (ph)	< 12.5 (ph)
483	RX Puppis	10 44	-41 24.1	+2.08	-0.18	9 52	-41 19.5	—	Pec	11.1 (ph)	14.1 (ph)
484	R Cancri	11 3	+12 2.0	+3.31	-0.18	8 34	+12 10.1	7.5	Md 8	6.8	11.2
485	Z Camelopardalis	14 1	+73 25.6	+6.82	-0.18	8 53	+73 33.8	7:	—	9.5	13
486	RY Hydrae	14 53	+ 3 4.8	+3.13	-0.19	12 32	+ 3 13.1	9	N	8.3	9.6
487	V Cancri	16 1	+17 36.1	+3.42	-0.19	13 27	+17 44.5	7.5	Md	7.7	12.5
488	T Lyncis	16 22	+33 50.3	+3.81	-0.19	13 31	+33 58.6	8:	—	8.5	11.2
489	Z Cancri	16 48	+15 18.7	+3.38	-0.19	14 16	+15 27.1	—	—	8.6	9.4
490	X Lyncis	19 6	+35 43.7	+3.86	-0.19	16 12	+35 52.2	—	—	9.5 (ph)	< 12 (ph)
491	R Chamaeleontis	8 24 2	-76 1.8	-1.27	-0.20	8 24 33	-75 56.9	—	Md 6	8.9 (ph)	12.6 (ph)
492	RT Hydrae	24 45	- 5 59.0	+2.96	-0.20	22 32	- 5 50.2	—	Md 9	7.6	9.6
493	V Carinae	26 41	-59 47.3	+1.23	-0.20	26 10	-59 42.3	—	G 5	7.4	8.1
494	X Carinae	29 7	-58 53.2	+1.31	-0.20	28 34	-58 48.2	—	A	7.9	8.65
495	SW Ursae maj.	29 26	+53 50	+4.53	-0.20	26 2	+53 59	—	—	10 (ph)	< 12.5 (ph)
496	U Cancri	30 3	+19 14.4	+3.44	-0.20	27 28	+19 23.5	5:	Md	8—10.5	< 13
497	RU Cancri	31 37	+23 54.6	+3.54	-0.21	28 58	+24 3.7	—	—	10.1	11.7
498	RZ Velorum	33 35	-43 45.9	+2.07	-0.21	32 43	-43 40.7	—	K	7.5 (ph)	8.6 (ph)
499	X Ursae maj.	33 38	+50 29.4	+4.34	-0.21	30 23	+50 38.8	4:	Md	9.4	13.1
500	T Velorum	34 26	-47 0.7	+1.95	-0.21	33 37	-46 55.4	—	G 5	7.6	8.5